

Manufacturer	Name/Description 17.5	μH*	Approval Date
Dynamite	DYNP1017 Quantex 17.5T	33.5	February 10, 2012
Eco Power	Eco Power Slingshot ECP-8000 (w/12.5mm rotor) can use ECP-8010 (123mm option rotor)		December 22, 2014
Epic	Nemesis 17.5T # TRI10560	33.0	December 11, 2009
Fantom	FR-1 Type R-FAN19503 OEM w/FAN19591 (12.5mm) rotor. Can also use FAN19590 (12.3mm) rotor.		October 8, 2015
Fantom	FR-1 Type T-FAN19504 OEM w/FAN19591 (12.5mm) rotor. Can also use FAN19590 (12.3mm) rotor.		October 8, 2015
Fantom	FR-1 Type RS-FAN19483. OEM with FAN19591 (125mm) SPEC Rotor. Can also use FAN19590 (123mm) SPEC Rotor		January 6, 2016
Fantom	FR-1 Type M-FAN19482. OEM with FAN19591 (12.5mm) rotor. Can also use FAN19590 (12.3mm) SPEC Rotor		January 6, 2016
Fantom	Fantom Racing-FR-1 v2R-FAN19473S (T, W)-OEM with FAN19591 (12.5mm) SPEC rotor. Can also use FAN19590 (12.3mm) and FAN19594 (12.4) SPEC rotors.		September 22, 2016
Fantom	-Fantom Racing-FR-1 v2T-FAN19474S (T, W)-OEM with FAN19591 (12.5mm) SPEC rotor. Can also use FAN19590 (12.3mm) and FAN19594 (12.4) SPEC rotors.		September 22, 2016
Hacker	Skalar10-175Turns Skalar 10 17.5T	34.1	May 4, 2012
Hacker	E40 - 17.5T	33.0	July 28, 2008
Hextronix	Trackstar Spec V2-PN-9192000229-0		August 21, 2015
Hobby Authority	G-Force Super Sonic G009-07		September 14, 2015
Hobby Authority	G-Force Super Extrme G0151-09 OEM w/ GF- 400003-55 (12.3mm) rotor. Can also use option rotors G0149 (12.3mm) and G0045 (12.5mm) if these rotors are on ther approved list		September 28, 2015
Hobby Authority	Maclan Racing MRR 17.5T-PN MCL1016, OEM w/12.5mm Rotor (red cap)		February 12, 2016
Hobby Authority	Maclan Racing (Hobby Authority Dist)-MRR17.5 Team Edition-MCL1024-OEM w/ MCL4075 (12.5mm rotor, red cap). Can also use MCL4076 (12.5mm rotor, black cap) and MCL4093 (12.5mm rotor. blue cap		November 5, 2016
Hobby King	Turnigy Trackstar 9192000029		March 12, 2014
Hobby Wing	Xerun V10 17.5 p/n 30401020039		November 17, 2014
Hobbywing	Hobbywing NA-Just Stock 3650 G2-PN:30408006- OEM w/ 12.5 rotor, PN 30820007. Can also use 12.3 rotor, PN 30820014.		October 1, 2016
Hobbywing	Blue=90040140 XeRUN	35.4	May 1, 2011

Hobbywing	Grey=90040141 XeRUN	35.4	May 1, 2011
Hobbywing	XeRUN V10 Black G2 -30401108. OEM w/ 12.5mmx7.3 rotor (PN 30820007)		March 31, 2016
King Glden	Speed Passio -Competition V4.0-SP001232 + option rotors		March 10, 2015
Losi	Xcelorin 17.5 LOSAB9406	32.5	February 29, 2008
LRP	Vector X11 Stockspec 17.5T	38.5	February 15, 2008
LRP	LRP X12 Vector Stock Spec 17.5 # LRP50852	35.0	November 12, 2009
LRP	LRP x 20 Stock Spec # 50854		May 22, 2013
MODX	Racer BM175		September 26, 2015
Motiv	RC-M-Code-MOV10705S + listed option rotors		June 10, 2015
Motiv	17.5-Motiv RC-M-Code 2-MOV1070525-01/10/2017+(listed option rotors) OEM w/MOV1330 S-HIGH(12.5) rotor. Can also use MOV1305 S-LOW(12.5), MOV1310 S-MID(12.5), MOV1315 S-HIGH(12.5) and MOV1300 S 12.3(12.3) or MOV1301 S 12.3(12.3) rotors.		January 10, 2017
Novak	Ballistic 3617	35.0	July 16, 2009
Novak	3417 SS 17.5 Pro		January 30, 2008
Novak	Novak Ballistic High RPM # 3627		February 8, 2013
Novak	Novak Vulcan Spec #3647		April 8, 2013
ORCA	ORCA TX Series - OTM175TX		July 3, 2013
ORCA	ORCA RX3 OMR175X3 (also use 12.5 option rotor)		August 27, 2014
ORCA	ORCA RT Series 17.5T-OMT175RT- OEM w/12.5 x 7.2 x 24.5 rotor (pn-ORR425SO).		March 16, 2017
ORCA	OBM0175S	34.4	April 22, 2009
ORCA	ORCA RX2 OBM175X2 17.5T	33.5	January 6, 2012
Orion	Vortex 2008 Stock 17.5	31.5	October 17, 2008
Orion	VST 2 PRO LW ORI128295		September 29, 2014
Pro Amps	Pro Amps Brushless Series PN/8709-230		May 24, 2013
R1 Brushless Motor Lab	R1-V15 PN-R1-175-125-V15. OEM w/12.5mm Rotor (Black aluminum balancing cap w/"12.5 R1" etched)-PN-R1 125 720 002. Can also use 12.3mm option rotor #R1 123 720 001.		September 30, 2016
R1 Brushless Motor Lab	SPEC 17.5-R1 Brushless Motor Lab-R1 V16-PN=R1-175-125-V16-04/01/2017 OEM w/12.5mm rotor (black cap) R1-125-720-002. Can also use R1-123-720-001, R1-123-715-259 and other approved for R1 rotors. Motor approval with gray epoxy ONLY.		May 9, 2017
R1 Motor Lab	R1 V9 Part Number R1-175-125-V9 w/12.5 rotor. Can also use Option 12.3 rotor (PN R1-123-V9)		July 2, 2015
R1 WURKS	R1 - 175 - 125 - V7		January 30, 2014

R1Wurks	R1 Motor Lab R1 V11 PN=R1-175-125-V11. OEM w/12.5 Rotor (Black aluminum balancing cap w "12.5 R1 etched). Can also use Option 12.3 rotor (PN=R1-123-V9)		December 31, 1969
RC Explorer Company	Team Powers-Prime Hobby Dist-Actinium V2-TP-BLM-175100ACT-V2.OEM w/TP125G-R (12.5 x 24 x 7.2) Rotor. Can also use TP123G-R (12.3 x 24 x 7.2) Rotor		September 8, 2016
REDS Racing SRL	REDS Racing VX 540 -MTTE00007 (w/MSTE0010 12.5mm rotor or MSTE0009 12.3mm option rotor)		July 20, 2014
Reedy	941 Sonic	33.5	June 27, 2011
Reedy	Reedy Sonic 540 Mach 2 # 232		February 8, 2013
Reedy	Reedy Sonic 540 M3- Associated #254. OEM w/PN273Rotor (S12.5x25.3); w/1.5 or.8 nodal ring; timing plate with or without sensor plug reinforcement		July 28, 2015
Reedy	Sonic 540 M3 # 269. Can also use PN273 Rotor		September 26, 2015
Reedy	SPEC-Reedy Team Associated-Reedy Sonic 540-FT PN 293-17.5T OEM w/PN 295 (12.5x25.3) rotor only.		April 14, 2017
Revtch	REV1051 REVTECH	32.5	June 27, 2011
Savox	Savox SX=1 Stock Spec BLH 2650-0031		April 19, 2013
Schuur Speed	540175 Extreme SPEC 17.5T	33.8	February 28, 2012
Schuur Speed	Extreme Short Stack 1S SPEC V3 PN:SUUS40174. OEM w/ 12.5mmx24 rotor PN 501133(Bare Aluminum Balancing Cap). Can also use rotors 501123 (12.3x25), 5011266 (12.5x25), 501126 (12.5x24), 501132 (12.5x25)		April 27, 2016
SchuurSpeed	Extreme Stock Spec V-3-PN540176		May 9, 2014
Scorpion Power System Ltd	SPEC 17.5-Scorpion Power System Ltd-Payless Hobby-Scorpion RR-3420 17.5T-PN: RR-3240-17.5R-01/27/2017 OEM w/ 12.5mm x 7.25 Rotor (PN:RR12.5 or rr_3420_rotor_HT)		February 21, 2017
Shanghai Dualsky	53652 Z5-17.5	34.0	March 14, 2011
SkyRC Technology Co. Ltd.	SkyRC TORO ARES PRO 540 17.5T		March 25, 2014
SMC	Totemic Stock-PN 17.5 Totemic-OEM with PN 42125(12.5mmx7.25x25.3) Totemic Stock SPEC rotor. Can also use PN42123 (12.3mmx7.25x25.3) Totemic Stock SPEC Rotor.		November 2, 2016
Speed Passion	SP Competition V3.0 1 cell p/n 1C175V3	33.5	November 27, 2010
Speed Passion	SPF175 Ultra Sportsman Stock	34.5	May 8, 2008
Speed passion	Speed Passion Competition V3 17.5 SP 138175V3	34.5	August 10, 2009
Speed Passion	SP000039 Competition V3.0 MMM	32.0	June 27, 2011
Speedzone	Speedzone Peerless - SZBLP175		February 15, 2013

Speedzone	Elite Series-SZBLE175		March 1, 2016
Speedzone	Peerless Series V2-SZBLP175V2		March 1, 2016
Synergy	Murffdog S175	35.0	September 27, 2010
Team Epic	DUO 2 17.5 TEP 1002	34.5	June 25, 2009
Team Epic	Trinity D3 17.5 TEP1053	34.5	October 5, 2010
Team Epic	Monster Locked 17.5T	34.5	March 11, 2011
Team ICON Racing	Team ICON Racing 44175	31.5	September 21, 2009
Team ICON Racing	44175 F2.0 Gold End Cap	33	May 1, 2011
Team ICON Racing	44175 F2.0 Black End Cap	33	May 1, 2011
Team Orion	ORI28236 Vortex VST Pro Stock 17.5	34.5	October 21, 2011
Team Orion	Vortex Ultimate Stock 17.5T LW 540-PN ORI28374-12/08/2016 OEM w/ORI41553 (12.5mm) rotor. Can also use ORI41554 (12.5mm) rotor.		December 8, 2016
Team Powers	Team Powers 17.5 TP-BLM-175100	32.5	October 29, 2009
Team Powers	TP-BLM-175100-PL w/TP-BLR-TP123G, 12.3mm rotor	32.0	March 14, 2011
Team Powers	Actinium TP-BLM_175100ACT		December 2, 2013
Team Scream Racing	Team Scream 17.5 Spec TSR175		March 12, 2014
Team Scream Racing	TSR175 OEM with 12.5mmrotor (can also use TSR123R, 12.3mm option rotor)		December 20, 2014
Team Scream	Team Scream Racing-TSR 1.0-TSR1175. OEM with (12.5mm x 24.5) SPEC rotor. Can also use TSR125R 12.5 x 25.0 and TSR123R 12.3mm rotors.		August 25, 2016
Team Scream	SPEC 17.5-Team Scream Racing-17.5 2.0-TSR11751-07/31/2017 Approved only with Black Thermal Epoxy. Motors without Black Thermal Epoxy are NOT approved. OEM with 12.5-III (12.5mm x 24.5) SPEC rotor. Can also use 12.5-I, 12.5-II, 12.5-III and F1 option rotors.		July 31, 2017
Tekin	Reline 17.5T Type-S P/N 2251	33.0	July 24, 2008
Tekin	TT2405 Gen2 17.5T	n/a	October 1, 2012
Tekin	TT2404 Gen2 17.5T RPM	n/a	October 1, 2012
Tekin	Tekin Redline Gen 2 - TT2405		July 27, 2012
Tekin	Tekin Redline Gen 2 - TT2404		July 27, 2012
Tekin	Redline Gen3-TT2705 OEM w/TT2721 Rotor and OEM w/ 0.8-1.05mm nodal ring		September 3, 2015
Tekin	Redline Gen3-TT2704 OEM w/TT2721 Rotorand OEM w/ 0.8-1.05mm nodal ring		September 3, 2015
Tekin	SPEC 17.5-Tekin, Inc-Redline Gen 3 Spec R-TT2697-08/15/2017 OEM w/TT2722 (12.5x 24.2) Yellow rotor. Can also use TT2719 (12.3 x 25) Grey and TT2721 (12.5 x 24.2) Blue rotors.		May 24, 2017
Thunder Power	Z3R-S17.5 p/n TPM-540A175	33.0	November 27, 2010

TrakPower	TrakPower MS Series TKPC5045		April 13, 2013
Trincorp	Trinity Revtech Killshot 17.5R - TEP1602R		April 22, 2013
Trincorp	Trinity Revtech Killshot 17.5T - TEP 1602T		April 22, 2013
Trincorp	Trinity D4 TEP1702/TEP1702M (Maxzilla uses TEP112 Rotor)		April 28, 2014
Trincorp	Trinity D4S - TEP1702RM (also available as TEP1702RXX)		December 15, 2014
Trincorp	REVTECH 24K-O		August 24, 2015
Trincorp	REVTECH 24K-REV 1802. OEM w/TEP1112 (12.5mm) Rotor. Can use option rotors.		October 7, 2015
Trincorp	Trinity Monster Horsepower-TEP1502.OEM w/ TEP1118 (12.3x25.4mm) Rotor. Has approved option rotors TEP1112, 1116 and others.		August 30, 2016
Trincorp	SPEC 17.5-Trincorp, LLC-Trinity Monster MAX-TEP1506-04/10/2017 OEM w/ TEP1112 (12.5xmm) Rotor. Has approved option rotors TEP1116, 1118 and others.		April 10, 2017
Trinity	TRI 10220 17.5T (red timing plate)	34.0	May 20, 2008
Trinity	TRI 10414 Pulse 17.5T	34.0	November 14, 2008
Viper RC Solutions	Viper VST 17.5T (PN8VST175001)	38.5	November 27, 2010
Viper RC Solutions	Viper VST Black Edition VIPER17501 (has option rotors)		December 18, 2014
Approval List - SEP - Scotty Ernts Productions	Manufacturer	Name/Description	Approval Notes
SEP	Absima	Revenge V2, 2130019	
SEP	Corally	Corally Pro Silver 10.5T, 399105	
SEP	Corally	Dynospeed Spec. 3.0, C-61100	
B&J / SEP / ROAR	Dualsky	Track & Field Z5 10.5T, 53649	
SEP	Dualsky	Track & Field. Pt. # 53352	
B&J / SEP / ROAR	Dynamite	Dynamite Platinum 10.5T, 1010	
B&J / SEP / ROAR	Dynamite	Quantext, DYNP1010	
SEP	EZpower	EZ Kicker, EZBR210R	
B&J / SEP / ROAR	Fantom	FR-1 FAN19500, 12.5 or 12.3 Spec Rotor	(12.5mm) SPEC rotor. Can also use FAN19590 (12.3mm) SPEC rotor.
B&J / SEP / ROAR	Fantom	FR-1 v2-FAN19470S	(12.5mm) SPEC rotor. Can also use FAN19590 (12.3mm) SPEC rotor.

B&J / SEP / ROAR	Fantom	FR-1 v2-FAN19470T	OEM with FAN19591 (12.5mm) SPEC rotor. Can also use FAN19590 (12.3mm) and FAN19594 (12.4) SPEC rotors.
B&J / SEP / ROAR	Fantom	FR-1 v2-FAN19470W	OEM with FAN19591 (12.5mm) SPEC rotor. Can also use FAN19590 (12.3mm) and FAN19594 (12.4) SPEC rotors.
B&J / SEP	G Force	Super Sonic, G0007	
SEP	GM	GM Brushless PRO, 97410	
SEP	GM	GM Brushless PRO, 97350 2011 version.	
SEP	GM	GM Brushless PRO, 97290 2010 version	
SEP	GM	GM Brushless PRO. Pt.# 97290	
SEP	Hirosaka	HSKPRO105T	
B&J / SEP / ROAR	HobbyKing	Trackstar Spec V2-PN192000265-0	
B&J / SEP / ROAR	Hobbywing	Xerun V10, 3041020037	
B&J / SEP / ROAR	Hobbywing	XeRUN V10 G2, 30101106	OEM w/ 12.mmx7.3 Rotor (PN: 30820007)
B&J / SEP / ROAR	Hobbywing	Xerun V10, 30401020046	
B&J / SEP / ROAR	Hobbywing	Grey=90040091 XeRUN	
B&J / SEP / ROAR	Hobbywing	Blue=90040090 XeRUN	
ROAR	Hobbywing	SPEC 10.5-Hobbywing NA-Just Stock 3650 G2-PN:30408004	OEM w/ 12.5 rotor, PN 30820007. Can also use 12.3 rotor, PN 30820014.
SEP	HPI	Flux Pro. Pt. # 101731	
B&J / SEP	LRP	X20, 50834	
B&J / SEP	LRP	X12 Vector, 50832	
B&J / SEP	LRP	Vector X11, 50830	
B&J / SEP / ROAR	Maclan	MRR 10.5T-PN MCL1014	
B&J / SEP	Motiv	M-Code 10.5T, 10105S	
ROAR	Motiv	M-Code MC2 10.5t, 101052S	
SEP	Muchmore	FLETA ZX, MR-FZX105	
SEP	Mtroniks	MX-1 Pt. # MTMX105	
SEP	Nosram	Pure 2 Evolution Spec. Racing, 91834	

SEP	Nosram	Pure Evolution Spec. Racing Version. Pt.# 91831	
SEP	Nosram	Spec. Storm Evolution, 91830	
B&J / SEP	Novak	SS Pro, 3410	
B&J / SEP	Novak	Ballistic, 3510	
B&J / SEP / ROAR	Novak	Vulcan Spec, 3640	(Blue Stator Only)
SEP	ORCA	RT, OMT105RT	
B&J / SEP / ROAR	ORCA	TX, OTM 105TX	
B&J / SEP	ORCA	RX3, OMR105X3	
B&J / SEP	ORCA	RX2, OBM105X2	
SEP	R1 Wurks	R1-105B-125-V15	
B&J / SEP	Reds Racing	Reds VX, MTTE0005	
B&J / SEP	Reedy	Sonic M3 - SS 1S, 285	
B&J / SEP	Reedy	Sonic M3, 256	
B&J / SEP	Reedy	Sonic M2, 234	
B&J / SEP	Reedy	Sonic, 943	
SEP	Ruddog	RP540	
SEP / ROAR	Savox	SX.1 SAVBLH3650 991740	
B&J / SEP / ROAR	Savox	SX.1, SAV-3650105	
B&J / SEP / ROAR	Schuur Speed	Extreme Short Stack 1S Spec V3, SUU540104	OEM w/ 12.5mm x 25 Rotor PN : 501132(Black Aluminum Balancing Cap) Can also use rotors 501123 (12.3x25), 501125 (12.5x25), 501126 (12.5x24), 501133 (12.5x24)
SEP / ROAR	Scorpion Power System Ltd	Scorpion RR-3420 10.5T-PN: RR-3240-10.5R.	OEM w/ 12.5mm x 7.25 Rotor (PN:RR12.5 or rr 3420 rotor HT)
B&J / SEP	Speed Passion	V4 10.5R, SP001230	
B&J / SEP / ROAR	Speed Passion	Competition V3, SP000037	
B&J / SEP / ROAR	Speed Passion	3.0 10.5R, SP1C105V3	
B&J / SEP	Speed Passion	3.0 10.5R, SP138105V3	
B&J / SEP	Speed Passion	Speed Passion Stock, SPF105	
SEP / ROAR	Speed Passion	Competition 4.0 SP001230	
B&J / SEP / ROAR	Team Orion	VST 2 Pro LW, 28293	
B&J / SEP / ROAR	Team Orion	VST2 Pro Stock 10.5, 28250	
B&J / SEP / ROAR	Team Orion	Vortex VST Pro Stock 10.5, 28233	
B&J / SEP / ROAR	Team Powers	Actinium, 105100ACT	
B&J / SEP / ROAR	Team Powers	Plutonium, 105100PL	
SEP	Team Wave	Eclipse, TW2011-105	
B&J / SEP	Tekin	Redline Gen 3, TT2708	

B&J / SEP	Tekin	Redline Gen 2, TT2399	
B&J / SEP	Tekin	Redline, TT2253	
B&J / SEP / ROAR	Thunder Power	Z3R-S, 540A105	
B&J / SEP / ROAR	TrakPower	TrakPower MS Series, C5035	
B&J / SEP / ROAR	Trinity/EPIC/ReVtech	ReVtech R-Power, 1050	
B&J / SEP / ROAR	Trinity/EPIC/ReVtech	D4, 1700	(Maxzilla -uses TEP1112 rotor 7-28-2014)
B&J / SEP / ROAR	Trinity/EPIC/ReVtech	D3, TEP1050	
B&J / SEP / ROAR	Trinity/EPIC/ReVtech	Pulse, 10412	
B&J / SEP / ROAR	Trinity/EPIC/ReVtech	ReVtech 24K, 1800	
B&J / SEP / ROAR	Trinity/EPIC/ReVtech	ReVtech Killshot, 1600, 1600T	
B&J / SEP / ROAR	Trinity/EPIC/ReVtech	ReVtech, REV1050	
B&J / SEP / ROAR	Trinity/EPIC/ReVtech	Monster Horsepower-TEP1500	OEM w/ TEP1112 (12.5x24.5mm) Rotor. Has approved option rotors TEP1116, 1118 and others
SEP	Vampire	Type AB+ Bloodline Pt. # VR-3105	
B&J / SEP / ROAR	Viper	Viper VST, 8VST105001	
SEP	Wave	Linear, TW2001-105	

--	--	--	--

Manufacturer	Name/Description	μH^*	Approval Date
ORCA	ORCA TX Series - OTM135TX		July 3, 2013
ORCA	ORCA RX3 - OMR135X3 (also use 12.5 option rotor)		August 27, 2014
ORCA	ORCA RT Series 13.5T- OEM w/12.5 x 7.2 x 24.5 rotor (pn-ORR425SO).		March 16, 2017
Hacker	Skalar10-135Turns Skalar 10 13.5T	19.2	May 4, 2012
LRP	LRP X12 Vector Stock Spec 13.5 #LRP50842	20.5	November 13, 2009
LRP	LRP x20 Stock Spec # 50844		May 22, 2013
LRP	LRPx20 Stock Spec # 50844		May 22, 2013
Reedy	942 Sonic	19.2	June 27, 2011
Reedy	Reedy Sonic 540 Mach 2 #233		February 18, 2013
Reedy	Reedy Sonic 540 M3 Associated # 255; OEM w/ PN273 Rotor (S12.5x25.3) w/1.5 or 0.8 nodal ring;w/or without sensor plug reinforcement		August 14, 2015
Fantom	FR-1 Type R-FAN19501 OEM w/FAN19591 (12.5mm)rotor. Can also use FAN19590 (12.3mm) rotor.		October 8, 2015

Fantom	FR-1 Type T-FAN19502 OEM w/FAN19591 (12.5mm)rotor. Can also use FAN19590 (12.3mm) rotor.		October 8, 2015
Fantom	FR-1 Type RS-FAN19481. OEM withFAN19591 (12.5mm) SPEC rotor. Can also use FAN 19590 (12.3mm) SPEC rotor		January 6, 2016
Fantom	FR-1 Type M-FAN19480. OEM with FAN19591 (12.5mm) rotor.Can also use FAN19590 (12.3mm) SPEC rotor		January 6, 2016
Fantom	Fantom Racing-FR-1 v2R-FAN19471S (T, W). OEM with FAN19591 (12.5mm) SPEC rotor. Can also use FAN19590 (12.3mm) and FAN19594 (12.4) SPEC rotors.		September 22, 2016
Fantom	Fantom Racing-FR-1 v2T-FAN19472S (T, W)- OEM with FAN19591 (12.5mm) SPEC rotor. Can also use FAN19590 (12.3mm) and FAN19594 (12.4) SPEC rotors.		September 22, 2016
Hacker	E40 - 13.5T	22.5	February 25, 2008
Team Powers	Team Powers 13.5 TP-BLM-135100	18.8	September 25, 2009
TrakPower	TrakPower MS Series TKPC5040		April 1, 2013
Hobby Authority	G-Force Super Extreme G0150		September 14, 2015
Hobby Authority	G-Force Supersonic G008-09 OEM w/ GF-400003-48 (12.5mm) rotor. Can also use option rotors G0149 (12.3mm) and G0045 (12.5mm) if these rotors are on ther approved list		September 28, 2015
Hobby Authority	Maclan Racing MRR 13.5T-PN MCL1015, OEM w/ 12.5mm Rotor (red cap)		February 12, 2016
Hobby Authority	Maclan Racing -MRR13.5 Team Edition-MCL1023-OEM w/ MCL4075 (12.5mm rotor, red cap). Can also use MCL4076 (12.5mm rotor, black cap) and MCL4093 (12.5mm rotor, blue cap).		November 5, 2016
Hextronix	Trackstar Spec V2-PN9192000230-0. This p/n only. Outlaw versionbs not approved		August 21, 2015
Hobby King	Turnigy Trackstar 9192000035		March 12, 2014
Hobby Wing	Xerun V10 10.5 p/n 30401020038		November 17, 2014
Hobbywing	Blue=90040120 XerUN	20.2	May 1, 2011
Hobbywing	Grey=90040121 XerUN	20.2	May 1, 2011

Hobbywing	XeRUN V10 Black G2 -30401107. OEM w/ 12.5mmx7.3 rotor (PN 30820007)		March 31, 2016
Dynamite	DYNP1013 Quantex 13.5T	19.2	February 10, 2012
Dynamite	DYNP0013 Platinum 13.5T	19.6	February 10, 2012
Dynamite	Dynamite Platinum Sensored (DPS) Motor DYNP 1013		February 27, 2013
Team Orion	ORI28235 Vortex VST Pro Stock 13.5	20.2	October 21, 2011
Team Orion	Vortex Ultimate Stock 13.5T LW 540-PN ORI28369-12/08/2016 OEM w/ORI41554 (12.5mm) rotor. Can also use ORI41553 (12.5mm) rotor.		December 8, 2016
Savox	Savox SX-1 Stock Spec BLH3650-0030		April 3, 2013
Losi	Xcelorin 13.5 LOSAB9405	19.2	February 29, 2008
LRP	Vector X11 Stockspec 13.5T #50840, black motor shaft	22.5	February 27, 2008
MODX	Racer BM135		September 26, 2015
Motiv	Motiv RC-M-Code-MOV10305S + listed option rotors		June 10, 2015
Motiv	13.5-Motiv RC-M-Code 2-MOV1030525 OEM w/MOV1330 S-HIGH(12.5) rotor. Can also use MOV1305 S-LOW(12.5), MOV1310 S-MID(12.5), MOV1315 S-HIGH(12.5) and MOV1300 S 12.3(12.3) or MOV1301 S 12.3(12.3) rotors.		January 10, 2017
Synergy	Murffdog S135	20.5	September 27, 2010
Synergy	PN S135 13.5T with 1.3 or 12.5 rotor (pn's R123 or R125)	20.5	September 27, 2010
Novak	3413SS 13.5 Pro	21.0	February 15, 2008
Novak	Ballistic 3613	20.5	July 16, 2009
Novak	Novak Ballistic High RPM # 3623		February 8, 2013
Novak	NovakNovak Vulcn Spec # 3643		March 18, 2013
Orion	Vortex 2008 Stock 13.5 P/N ORI28141 - Rotor without fan	19.5	June 6, 2008
Scorpion Power System Ltd	SPEC 13.5-Scorpion Power System Ltd-Payless Hobby-Scorpion RR-3420 13.5T-PN: RR-3240-13.5R-08/24/2016 OEM w/ 12.5mm x 7.25 Rotor (PN:RR12.5 or rr_3420_rotor_HT)		February 21, 2017

R1 Brushless Motor Lab	R1 V15 PN+R1-135-*125-V15. OEM w/12.5mm Rotor (Black aluminum balancing cap w/"12.5 R1" etched) -PN-R1 125 720 002. Can also use 12.3mm option rotor # R1 123 720 001		September 30, 2016
R1 Motor Lab	R1 V9 Part Number R1-135-125-V(December 15, 2014
R1 WURKS	R1 - 135 - 125 - V7		January 30, 2014
R1Wurks	R1 Motor Lab R1 V11-PN=R1-135-125-V11. OEM w/12.5mmrotor (Black aluminum balancing cap w ("12.5 R1" etched) Can also use option rotor 12.3,rotor (PN=R1-123-V9)		March 18, 2016
RC Explorer Company	Team Powers-Prime Hobby Dist-Actinium V2-TP-BLM-135100ACT-V2.OEM w/TP125G-R (12.5 x 24 x 7.2) Rotor. Can also use TP123G-R (12.3 x 24 x 7.2) Rotor		September 16, 2016
Pro Amps	Pro Amps Brushless Series p/n 8709-220		May 24, 2013
REDS Racing SRL	REDS Racing VX 540 -MTTE00006-07		July 20, 2014
Team Powers	TP-BLM-135100PL Plutonium 13.5T	19.1	March 2, 2012
Speed Passion	SPF135 Ultra Sportsman Stock	21.7	May 8, 2008
Speed Passion	Speed Passion Competition V3 SP 138135V3 13.5T	20.2	August 2, 2015
Schuur Speed	540135 Extreme Spec 13.5T	19.5	February 28, 2012
Schuur Speed	540135 Extreme SPEC 13.5T	19.5	February 28, 2012
Schuur Speed	Extreme Short Stack 1S Spec V3 PN:SUU540134 OEM w/ 12.5mm x 24 Rotor PN : 501133 (Bare Aluminum Balancing Cap) Can also use rotors 501123 (12.3x25), 501125 (12.5x25), 501126 (12.5x24), 501132 (12.5x2		April 27, 2016
SchuurSpeed	Extreme Stock Spec V-3-PN540136		May 9, 2014
Shanghai Dualsky	53651 Z5-13.5	20.5	March 14, 2011
SkyRC Technology Co. Ltd.	SkyRC Ares Pro - SK-400003-34 (OEM w/ 12.5mmrotor)		March 26, 2015
SMC	Totemic Stock-PN 13.5 Totemic-OEM with PN 42125(12.5mmx7.25x25.3) Totemic Stock SPEC rotor. Can also use PN42123 (12.3mmx7.25x25.3) Totemic Stock SPEC Rotor.		November 2, 2016
King Golden	Speed Passion-Competitioin V4.0-SPoo001231+optio rotors		March 9, 2015

Speed Passion	SP Competition V3.0 1 cell p/n 1C135V3	19.0	November 27, 2010
Speed Passion	SP000038	19.0	June 27, 2011
Speedzone	Speedzone Peerless - SZBLP135		February 15, 2013
Speedzone	Peerless Series V2-SZBLP135V2-01/15/2016		January 15, 2016
Revtech	REV1051 REVTECH	19.0	June 27, 2011
Team Epic	DUO 2 13.5 TEP 1001	20.5	June 25, 2009
Team Epic	Team Epic/Trinity Nemesis 13.5T #TR110559	19.5	November 24, 2009
Team Epic	Trinity D3 13.5 TEP1051	20.5	October 5, 2010
Trinity	TRI 10210 13.5T (blue timing plate)	20.5	May 20, 2008
Trinity	TRI 10413 Pulse 13.5	20.2	November 18, 2008
Team ICON Racing	44135 F2.0 Gold End Cap	20	May 1, 2011
Team ICON Racing	44135R F2.0 Black End Cap	20	May 1, 2011
Team ICONRacing	Team ICON Racing 44135	18.6	September 21, 2009
SITL Holdings	OMB135X2 ORCA-RX2-13.5T	20.5	March 14, 2011
Team Powers	Actinium TP-BLM_135100ACT		December 2, 2013
Team Scream	Team Scream Racing-TSR 1.0-TSR1135- OEM with (12.5mm x 24.5) SPEC rotor. Can also use TSR125R 12.5 x 25.0 and TSR123R 12.3mm rotors		August 25, 2016
Team Scream Racing	Team Scream TSR135 w/12.5mm rotor (can also use TSR123R, 123mm rotor)		September 1, 2014
Team Scream Racing	TSR135 OEM with 12.5mm rotor. (Can also use TSR123R, 12.2mm option rotor) - Short Stack		March 3, 2015
Tekin	Redline 13.5 Type S P/N TT2252	19.0	July 22, 2008
Tekin	Tekin Redline Gen 2 # TT2407		July 27, 2012
Tekin	Redline Gen3-RPM TT2707		September 29, 2015
Tekin	Relin Gen3-RPM TT2706 OEM w/ TT2721 Rotor and OEM w/0.8-1.05mm nodal ring		September 29, 2015
Thunder Power	Z3R-S13.5 p/n TPM-540A135	19.7	November 27, 2010
Trincorp	Trinity D4 TEP1701/TEP1701M(Maxzilla uses TEP112 Rotor)		April 28, 2014
Trincorp	Trinity D4S - TEP1701RM (also available as TEP1701RXX)		December 15, 2014
Trincorp	REVTECH 24k-O		August 24, 2015

Trincorp	REVTECH 24K-1801 OEM w/TEP1112 (12.5mm) Rotor. Has approved option rotors		October 13, 2015
Trincorp	Trinity Monster Horsepower-TEP1501.OEM w/ TEP1118 (12.3x25.4mm) Rotor. Has approved option rotors TEP1112, 1116 and others.		August 30, 2016
Viper RC Solutions	Viper VST 13.5T (PN8VST135001)	20.8	November 27, 2010
Viper RC Solutions	Viper VST Black Edition VIPER 13501 (has option rotors)		December 11, 2014
Reedy	Sonic 540 M3 # 270 can also use PN 273 Rotor		September 26, 2015
Fantom	FR-1 - Fits all All - Aluminum Timing Clamp Ring		January 11, 2016
Fantom	Fantom FR-1-Fits All-ABEC7 Hybrid Ceramic Bearings		January 23, 2016
Fantom	Fantom FR-1-Fits All-Aluminum Timing Clamp Screws		January 23, 2016
Fantom	Fantom FR-1-Fits All-46mm Aluminum Main Screws		January 6, 2016
R1 Brushless Motor Lab	SPEC Option/Replacement. Sensor Board only #R1V1-2016-06-29-09/30/2016. Fits ALL V7, V9, V11, V15 series motors (option OR replacement).		September 30, 2016
Speed Passion	SP000041 +0 timing for all V3.0 Motor Black Color (+0 to +10 degrees)		June 11, 2012
Speed Passion	SP000034 +10 timing for all V3.0 Motor Red Color (+10 to +20 degrees)		June 11, 2012
Speed Passion	SP000029 +20 timing for all V3.0 Motor Green Color (+20 to +30 degrees)		June 11, 2012
Speed Passion	SP000058 +30 timing for all V3.0 Motor Yellow Color (+30 to +40 degrees)		June 11, 2012
Speed Passion	SP000059 +40 timing for all V3.0 Motor Blue Color (+40 to +50 degrees)		June 11, 2012
Reedy	Reedy Sonic 540-FT PN 294-13.5T OEM w/PN 295 (12.5x25.3) rotor only.		April 14, 2017
Hobbywing	SPEC 13.5-Hobbywing NA-Just Stock 3650 G2-PN:30408005- OEM w/ 12.5 rotor, PN 30820007. Can also use 12.3 rotor, PN 30820014.		October 1, 2016

R1 Brushless Motor Lab	SPEC 13.5-R1 Brushless Motor Lab-R1 V16-PN=R1-135-125-V16-04/01/2017 OEM w/12.5mm rotor (black cap) R1-125-720-002. Can also use R1-123-720-001, R1-123-715-259 and other approved for R1 rotors. Motor approval with gray epoxy ONLY.		May 9, 2017
Team Scream	SPEC 13.5-Team Scream Racing-13.5 2.0-TSR11351-07/31/2017 Approved only with Black Thermal Epoxy. Motors without Black Thermal Epoxy are NOT approved. OEM with 12.5 IIII (12.5mm x 24.5) SPEC rotor. Can also use 12.5-I, 12.5-II, 12.5-III and F1 option rotors.		July 31, 2017
Tekin	TT2407 Gen2 13.5T	n/a	October 1, 2012
Tekin	TT2406 Gen2 13ST RPM	n/a	October 1, 2012
Tekin	SPEC 13.5-Tekin, Inc-Redline Gen 3 Spec R-TT2698-08/15/2017 OEM w/TT2722 (12.5x 24.2) Yellow rotor. Can also use TT2719 (12.3 x 25) Grey and TT2721 (12.5 x 24.2) Blue rotors.		May 24, 2017
Trincorp	SPEC 13.5-Trincorp, LLC-Trinity Monster MAX-TEP1505-04/10/2017 OEM w/ TEP1112 (12.5xmm) Rotor. Has approved option rotors TEP1116, 1118 and others.		April 10, 2017